



SPRAYGUNS

TOUCH UP

JTG400 (409114)

- Professional quality touch up spray gun
- 8 oz. clamp type cup
- 1.2mm thick cup
- Ideal for touch up spraying, edging, shading or precision detail painting

NEW!



HIGH PRESSURE SG-1S (409128)

- Professional quality high pressure air spray gun
- 1.2 mm thick teflon coated dripless cup
- Newly designed air cap assembly for a perfect nonlead spray fan effect
- Precision ground tapered stainless steel needle
- Brass aluminum rivets ensure easy on and off clamping
- Aluminum alloy body with special anti-corrosion treatment
- Chrome plated brass material and pattern adjustment controls
- This deluxe, external mix, nonbleeder industrial spray gun can handle all kinds of paint, lacquer, stain, etc. for automotive finishing, industrial applications and furniture finishing
- Not recommended for water based paints



NEW!

LVLP MODEL

GRAVITY FEED PAINT Professional LOW VOLUME LOW PRESSURE SG600LVLP (409125)

- Gravity feed, low volume low pressure paint spray gun
- Low pressure operation provides wide fan pattern and superior atomization for higher productivity
- Reduces paint over-spray for lower paint costs and a cleaner, safer work area
- Nickel Chrome plated satin finish for easy cleaning and excellent resistance to chemical corrosion
- Ideal for large area paint jobs requiring professional results
- Precision machined and finished, stainless steel nozzle, needle and brass cap provide highest quality results (1.3 mm 905441)
- Dial air regulator for precise air pressure settings for all painting applications

Standard Accessories: 600ml nylon cup with lid (905402), AR600 air regulator with dial (408812)

Optional Accessories:

- Needle, nozzle & cap set, 1.3mm (905441)
- Needle, nozzle & cap set, 1.6mm (905446)
- Needle, nozzle & cap set, 2.0mm (905447)
- Nylon lid only 600 ml. cup (905403)
- Polished aluminum cup c/w lid 600 ml. (905404)
- Polished aluminum cup c/w lid 1 litre (905412)
- Lid only for 600 ml. polished aluminum cup (905405)
- Lid only for 1 litre polished aluminum cup (905413)
- Fine mesh paint strainer for gravity paint gun 3 pc/bag, 36 pc/card (905432)
- Fine mesh paint strainer for gravity paint gun 10 pc/bag/card (905433)

JET  Accessories



Aluminum Cup



Nylon Cup

MOD. NO. PROD. NO.	JTG400 409114	SG-1S 409128	SG600LVLP 409125
Working Air Pressure (PSI)	30 - 50	43 - 90	10 - 29
Min. Compressor Size (HP)	1/3	3	2
Fluid Inlet Thread	3/8" NPS	3/8" NPS	M16 x 1.5
Nozzle Size (mm)	1.8	1.8	1.3
Weight with Cup (Lbs.)	1	2.2	1.33
Length x Height	6.5" x 9"	6.5" x 11.5"	6.5" x 13"
Avg. Air Consumption (CFM)	1	12-15	10
Air Inlet NPT	1/4"	1/4"	1/4"

GRAVITY FEED TOUCH UP Professional SG125 (409126)

- Gravity feed touch up spray gun
- Ideal for small area paint jobs requiring professional results
- Featuring Teflon finish for easy cleaning and excellent resistance to chemical corrosion
- Precision machined and finished, stainless steel nozzle and needle and brass cap provide highest quality results

Standard Accessories: 125ml nylon cup with lid (905422)

Optional Accessories:

- Needle, nozzle & cap set for SG125, 0.8mm (905421)
- Nylon lid only 125 ml. cup (905423)
- Polished aluminum cup c/w lid 125 ml. (905424)
- Lid only for 125 ml. polished aluminum cup (905425)
- Fine mesh paint strainer for gravity paint gun 3 pc/bag, 36 pc/card (905432)
- Fine mesh paint strainer for gravity paint gun 10 pc/bag/card (905433)



GRAVITY FEED PAINT Professional SG600 (409123)

- Gravity feed high pressure paint spray gun
- Featuring Teflon finish for easy cleaning and excellent resistance to chemical corrosion
- Ideal for large area paint jobs requiring professional results
- Precision machined and finished, stainless steel nozzle and needle and brass cap provide highest quality results

Standard Accessories: 600ml nylon cup with lid (905402)

Optional Accessories:

- Needle, nozzle & cap set for SG600, 1.4mm (905401)
- Needle, nozzle & cap set, 1.7mm (905406)
- Needle, nozzle & cap set, 2.0mm (905407)
- Nylon lid only 600 ml. cup (905403)
- Polished aluminum cup c/w lid 600 ml. (905404)
- Polished aluminum cup c/w lid 1 litre (905412)
- Lid only for 600 ml. polished aluminum cup (905405)
- Lid only for 1 litre polished aluminum cup (905413)
- Fine mesh paint strainer for gravity paint gun 3 pc/bag, 36 pc/card (905432)
- Fine mesh paint strainer for gravity paint gun 10 pc/bag/card (905433)



MOD. NO.	SG125	SG600
PROD. NO.	409126	409123
Working Air Pressure (PSI)	38-60	50-70
Maximum Air Pressure (PSI)	70	90
Minimum Compressor Size (HP)	2	2
Fluid Inlet Thread	M14x1.0	M16x1.5
Nozzle Size (mm)	.8	1.4
Weight with Cup (Lbs.)	.7	1.6
Length x Height	4.5" x 9.8"	6.7" x 12.8"
Avg. Air Consumption (CFM)	3-5	8
Air Inlet NPT	1/4"	1/4"


JET Accessories



SPRAYGUNS



HVLP MODEL



HVLP MODEL

GRAVITY FEED TOUCH UP Professional HIGH VOLUME LOW PRESSURE SG125HVLP (409127)

- Gravity feed high volume low pressure touch up spray gun
- Reduces paint over-spray for lower paint costs and a cleaner, safer work area
- Ideal for small area paint jobs requiring professional results
- Featuring Teflon finish for easy cleaning and excellent resistance to chemical corrosion
- Precision machined and finished, stainless steel nozzle and needle and brass cap provide highest quality results (1.0mm 905431)

Standard Accessories: 125ml nylon cup (905422), AR125 in-line air regulator (408816)

Optional Accessories:

- AR125 in-line air regulator 3/8 ID For SG125HVLP (408816)
- Needle, nozzle & cap set for SG125HVLP 1.0mm (905431)
- Nylon lid only 125 ml. cup (905423)
- Polished aluminum cup c/w lid 125 ml. (905424)
- Lid only for 125 ml. polished aluminum cup (905425)
- Fine mesh paint strainer for gravity paint gun 3 pc/bag, 36 pc/card (905432)
- Fine mesh paint strainer for gravity paint gun 10 pc/bag/card (905433)

GRAVITY FEED PAINT Professional HIGH VOLUME LOW PRESSURE SG600HVLP (409124)

- Gravity feed, high volume low pressure paint spray gun
- Reduces paint over-spray for lower paint costs and cleaner, safer work area
- Ideal for large area paint jobs requiring professional results
- Featuring Teflon finish for easy cleaning and excellent resistance to chemical corrosion
- Precision machined and finished, stainless steel nozzle and needle and brass cap provide highest quality results (1.4mm 905411)

Standard Accessories: 600ml nylon cup with lid (905402), AR600 air regulator with dial (408812)

Optional Accessories:

- Needle, nozzle & cap set, 1.4mm (905411)
- Needle, nozzle & cap set, 1.7mm (905414)
- Needle, nozzle & cap set, 2.0mm (905415)
- Nylon lid only 600 ml. cup (905403)
- Polished aluminum cup c/w lid 600 ml. (905404)
- Polished aluminum cup c/w lid 1 litre (905412)
- Lid only for 600 ml. polished aluminum cup (905405)
- Lid only for 1 litre polished aluminum cup (905413)
- Fine mesh paint strainer for gravity paint gun 3 pc/bag, 36 pc/card (905432)
- Fine mesh paint strainer for gravity paint gun 10 pc/bag/card (905433)

JET Accessories



Aluminum Cup



Nylon Cup



Rubber Lid



Nylon Lid

MOD. NO. PROD. NO.	SG125HVLP 409127	SG600HVLP 409124
Working Air Pressure (PSI)	30-43	43-60
Maximum Air Pressure (PSI)	60	63
Minimum Compressor Size (HP)	2	2
Fluid Inlet Thread	M14x1.0	M16x1.5
Nozzle Size (mm)	1.0	1.4
Weight with Cup (Lbs.)	.7	1.6
Length x Height	4.5" x 9.8"	6.7" x 12.8"
Avg. Air Consumption (CFM)	3-5	11
Air Inlet NPT	1/4"	1/4"

AIR TOOL ACCESSORIES



AIR FILTER, REGULATOR & LUBRICATOR CFR0300 (408803)

- Air filter, regulator and lubricator in one unit
- Air filter is designed to eliminate dust, water and other impurities from reaching air tool, extending tool life
- Air regulator governs air flow to desired P.S.I. air pressure
- Lubricator device is indispensable for air generated equipment, atomizing lubricant into the compressed air allowing it to reach and lubricate the internal parts of the air tool
- For use with 1/4" - 1/2" diameter air hose
- Working air pressure of 0 - 150 P.S.I.
- Maximum working temperature: 60°C (140°F)
- 3/8" NPT air inlet and outlet



AIR FILTER/REGULATOR CFRG400 (408807)

- Air filter and regulator combined in one unit
- Air filter is designed to eliminate dust, water and other impurities from reaching air tool, extending tool life
- Air regulator governs air flow to desired P.S.I. air pressure
- Working air pressure of 0 - 135 P.S.I.
- Maximum working temperature: 60°C (140°F)
- 3/8" NPT air inlet and outlet



DIAL AIR REGULATOR AR600 (408812)

- Designed specifically for use with HVLP & LVLP paint spray guns
- Compact dial regulator provides precise air pressure settings for all painting applications
- Positive setting lock assures constant air pressure to the air tool
- Maximum air pressure input: 135 PSI
- Effective range of adjustment: 7 to 120 PSI
- Maximum working temperature: 60°C (140°F)
- 1/4" NPT air inlet and outlet



IN-LINE AIR REGULATOR AR125 (408816)

- Designed specifically for use with HVLP detail spray guns



1/4" AIR TOOL OILER AAMO14 (408832)

- Automatically feeds oil into tool increasing performance and tool life
- Hooks up directly to air tools
- Visible oil supply provides precision oil metering
- Prevents air line contamination
- 1/4" N.P.T. male/female threads



BRASS AIR REGULATOR AR5401 (408811)

- Attaches to all air tools using 1/4" N.P.T. air inlets
- Provides quick regulation of air flow on all air tools
- 1/4" N.P.T. male and female threads

