



.401 shank



.401 shank



.401 shank



.498 shank

AIR HAMMERS

MEDIUM BARREL Standard Duty

AH150M (404123)

- Medium barrel delivers steady powerful blows
- Accepts popular .401 taper shank chisels
- Standard quick change spring safety retainer
- Polished aluminum one-piece housing and handle with heat treated alloy steel barrel and piston for long life
- Built in steel air regulator
- A popular choice for muffler and pipe removal, body shop work, shock work and many other automotive applications

Standard Accessories: Standard spring retainer (905146)

Optional Accessory: Quick coupler retainer (408291)

LONG BARREL Standard Duty

AH150L (404124)

- Long barrel design for more hammering power
- Accepts popular .401 taper shank chisels
- Standard quick change spring safety retainer
- Polished aluminum one-piece housing and handle with hardened steel barrel and piston for long life
- Built-in steel air regulator
- Ideal for air hammering applications which require increased power

Standard Accessories: Standard spring retainer (905146)

Optional Accessory: Quick coupler retainer (408291)

RIVETING HAMMER Heavy Duty

RH954 (409131)

- Compact and powerful, provides the hard hitting blows required to drive 1/8" to 1/4" steel rivets used in industrial assembly applications
- Ideal for a wide variety of hammering, chipping, cutting and scraping applications
- Uses standard .401 shank steels
- Teasing throttle for maximum control
- Muffled, side outlet exhaust for quieter and cleaner operations

Standard Accessories: Bee-hive retainer (905852)

Optional Accessories: Standard spring retainer (905146)
Quick coupler retainer (408291)

RIVETING HAMMER Super Duty

RH955 (409132)

- Powerful air hammer, provides the slow, steady blows required to drive 1/4" to 3/8" steel rivets used in industrial assembly applications
- Ideal for a wide variety of heavier hammering, chipping, cutting and scraping applications
- Uses popular .498 shank steels
- Teasing throttle for maximum control
- Muffled, side outlet exhaust for quieter and cleaner operations

Standard Accessories: Bee-hive retainer (905862)

Optional Accessory: Standard spring retainer (905861)

MOD. NO. PROD. NO.	AH150M 404123	AH150L 404124	RH954 409131	RH955 409132
Blows per Minute	3,500	2,000	1,740	1,560
Piston Diameter	11/16"	3/4"	1/2"	3/4"
Piston Stroke	2-5/8"	3-1/2"	3-1/16"	2-11/16"
Overall Length	6-3/4"	10-1/4"	7-5/8"	8"
Weight (Lbs.)	3.5	4.4	3	4.9
Avg. Air Consumption (CFM)	4	4.2	12	16
Min. Hose Size	3/8"	3/8"	3/8"	3/8"
Air Inlet NPT	1/4"	1/4"	1/4"	1/4"

- FOR MAXIMUM PERFORMANCE WE RECOMMEND 90 LB PSI AIR PRESSURE

PROD. NO.	Description
905146	Standard Spring Retainer (fits AH150M, AH150L, RH954)
408291	Quick Coupler Retainer (fits AH150M, AH150L, RH954)
905852	Beehive Retainer (fits AH150M, AH150L, RH954)
905861	Standard Spring Retainer (fits RH955)
905862	Beehive Retainer (fits RH955)



STEELS FOR .401 AIR HAMMERS

(fits AH150M, AH150L, RH954 and other .401 hammers)

PROD. NO.	MOD. NO.	Shank Size	Overall Length	Type
408201	810	.401	8-3/4"	Flat Chisel
408202	807	.401	6-3/8"	Sheet Metal Cutter
408207	812	.401	7"	Taper Punch
408213	805	.401	6-1/4"	Wide Chisel
408214	823	.401	7-1/8"	Paint Scraper



1/4" AIR RIVETER – ALUMINUM JAR55 (409004)

1/4" AIR RIVETER – ALL MATERIALS JAR56 (409006)

- Lightweight and powerful tool for installing blind rivets
- Three piece jaw design for improved mandrel ejection
- Jaws made of heat treated high grade steel for longer service life
- Handle and trigger designed for maximum comfort
- Unbreakable collection bottle for a cleaner, safer work place
- Ideal for professional automotive and industrial users

Standard Accessories: 5 tips (3/32", 1/8", 5/32", 3/16" & 1/4"), collection bottle, replacement jaws, wrenches



NEW!

Available Fall 2006!

MOD. NO. PROD. NO.	JAR55 409004	JAR56 409006
Rivet Capacity:		
Aluminum	1/4"	1/4"
All Materials	3/16"	1/4"
Traction Power (ft/lbs)	1,870	2,750
Avg. Air Consumption (CFM)	4	4.5
Min. Hose Size	3/8"	3/8"
Air Inlet (NPT)	1/4"	1/4"
Tips Included	3/32", 1/8", 5/32", 3/16" & 1/4"	

• FOR MAXIMUM PERFORMANCE WE RECOMMEND 90 LB PSI AIR PRESSURE

CHIPPING HAMMERS/RIVET BUSTER

CHIPPING HAMMERS Heavy Duty CH3 Series

- Offering the perfect balance of service life and economy
 - Powerful and hard hitting
 - Available in two different stroke lengths and two popular shank styles
 - Outside teasing throttle for safety and control
 - Saw tooth handle to cylinder connection for durability
- Standard Accessories:** Standard retainer (404313), Retainer spring (905842)



MOD. NO.	CH3H	CH4H	CH3R	CH4R
PROD. NO.	404323	404324	404328	404329

Collar Type	.580 Hex	.580 Hex	.680 Rnd.	.680 Rnd.
Piston Dia. x Stroke	1-1/8"x3	1-1/8"x4	1-1/8"x3	1-1/8"x4
Blows per Minute	1920	1500	1920	1500
Overall Length	14-7/8"	16-1/8"	14-7/8"	16-1/8"
Weight (Lbs)	14	15	14	15
Avg. Air Con. (CFM)	25	28	25	28
Min. Hose Size	1/2"	1/2"	1/2"	1/2"
Air Inlet NPT	3/8"	3/8"	3/8"	3/8"



CHIPPING HAMMERS Super Duty JCO Series

- Powerful hard hitting industrial chipping hammers
- Available in three different stroke lengths
- Two popular shank styles - .580 Hex and .680 round shank with oval collar
- Drop forged, open handle design
- Outside teasing throttle
- Ring valve type
- Heat treated hardened steel piston and cylinder for long tool life



11" RIVET BUSTER Heavy Duty RB11 (404362)

- 11" piston stroke for maximum hitting power
 - Suitable for cutting off bolts and large rivet heads and for heavy duty chipping work
 - Teasing throttle for increased control
 - Forged steel handle
 - Heat treated, hardened steel piston and cylinder
 - RB11 uses 1-1/8" tooling (Jumbo)
 - Piston stopper prevents piston from exiting the cylinder when retainer is removed
- Standard Accessories:** Retainer assembly

MOD. NO.	JCO-2H	JCO-3H	JCO-4H	JCO-2R	JCO-3R	JCO-4R	RB11
PROD. NO.	404307	404308	404309	404317	404318	404319	404362

Collar Type	.580 Hex	.580 Hex	.580 Hex	.680 Round	.680 Round	.680 Round	—
Piston Dia. x Piston Stroke	1-1/8" x 2"	1-1/8" x 3"	1-1/8" x 4"	1-1/8" x 2"	1-1/8" x 3"	1-1/8" x 4"	1-3/16" x 11"
Blows per Minute	2,500	2,300	1,700	2,500	2,300	1,700	625
Overall Length	12-3/4"	14-3/8"	16"	12-3/4"	14-3/8"	16"	26"
Weight (Lbs.)	15	16	17	15	16	17	33
Avg. Air Consumption (CFM)	29	31	33	29	31	33	38
Min. Hose Size	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"
Air Inlet NPT	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Rivet Capacity	—	—	—	—	—	—	1"

• FOR MAXIMUM PERFORMANCE WE RECOMMEND 90 LB PSI AIR PRESSURE

CHIPPING HAMMER ACCESSORIES



PROD. NO.	MOD. NO.	Description
404313	CHR-1	Standard Retainer
404311	QCR-1	Quick Change Retainer
905801	JCO1191-2	Flat Spring with pin for QCR-1 retainer
905802	JCO1194-2	Heavy Duty Retainer Spring
905842	JCO194	Retainer Spring



404313



404311



905842

CHIPPING HAMMER STEELS

.580 HEX SHANK WITH OVAL COLLAR

Fits JET JCO-H and CH-H series chipping hammers and all other makes of .580 hex shank oval collar chipping hammers.

PROD. NO.	MOD. NO.	Description	Overall Length
408312	VF300H	Flat Chisel	12"
408331	VM230H	Moil Point	10"
408332	VM300H	Moil Point	12"
408352	VWF300H	Wide Flat Chisel	12"



.680 ROUND SHANK WITH OVAL COLLAR

Fits JET JCO-R and CH-R series chipping hammers and all other makes of .680 round shank oval collar chipping hammers.

PROD. NO.	MOD. NO.	Description	Overall Length
408315	VF300R	Flat Chisel	12"
408335	VM300R	Moil Point	12"
408355	VWF300R	Wide Flat Chisel	12"



ACCESSORIES FOR RIVET BUSTER

PROD. NO.	MOD. NO.	Description
905881	RB2190	2.565 Retainer for RB11
905882	RB2101	Upper Sleeve for RB11
905883	RB2103	Lower Sleeve for RB11
905884	RB2194	Retainer Spring for RB11
905893	RB2104-2	Rubber Bumper for RB11



PAVING BREAKERS Heavy Duty

- Powerful heavy duty industrial paving breakers
 - Large diameter smooth stroke piston
 - Full control throttle
 - Replaceable front head bushing
 - Four bolt head to cylinder construction
 - Efficient valve chest for low maintenance
 - Drop forged cylinder
 - Chisel retainer latch
 - Rubber handle grips
- Optional Accessory:** Hose Swivel (404312), 7/8"-24 x 1/2" HB



404312



MOD. NO. PROD. NO.	PB30-78 404703	PB30-1 404704	PB60-118 404705	PB60-114 404706	PB90-118 404708	PB90-114 404709
Hex Shank Size	7/8" x 3-1/4"	1" x 4-1/4"	1-1/8" x 6"	1"-1/4" x 6"	1-1/8" x 6"	1-1/4" x 6"
Piston Dia. x Piston Stroke	1-3/4" x 3-3/8"	1-3/4" x 3-3/8"	2-1/4" x 5"	2-1/4" x 5"	2-5/8" x 6-1/2"	2-5/8" x 6-1/2"
Blows per Minute	1,550	1,550	1,400	1,400	1,250	1,250
Overall Length	22-1/2"	22-1/2"	25-3/8"	25-3/8"	28-1/2"	28-1/2"
Weight (Lbs.)	33	33	66	66	92.5	92.5
Avg. Air Consumption (CFM)	49	49	58	58	77	77
Min. Hose Size	1/2"	1/2"	3/4"	3/4"	3/4"	3/4"

- 30 lb. class: Light-weight, heavy duty - minimum compressor 7-1/2 horsepower
 - 60 lb. class: Medium weight, heavy duty - minimum compressor 10 horsepower
 - 90 lb. class: Extra heavy duty - minimum compressor 10 horsepower
- FOR MAXIMUM PERFORMANCE WE RECOMMEND 90 LB PSI AIR PRESSURE**